

QuakeNet Cheat Sheet

GENERAL COMMANDS

Join a server	/server irc.quakenet.org
Quit a server	/quit [message]
Join a channel	/join #channel
Leave a channel	/part [message] o. /partall
Set away	/away [reason]
Set back	/away
Query a user	/query [user]
Clear Channel History	/clear o. /clearall
Change nick	/nick [newnick]
Performs an action	/me [text]
Global action	/ame [text]
Performs an action	/action [text]
Send #channel a msg	/msg #channel [text]
Send msg to all chans	/amsg [text]
Get user info	/whois [user]
Part and rejoin	/hop

CHANNEL COMMANDS

Invite	/invite [user] #channel
Kick	/kick [user] [reason]
ban	/mode +b [usermask]
topic	/topic [topic]
give op	/mode #channel +o [user]
take op	/mode #channel -o [user]
give voice	/mode #channel +v [user]
take voice	/mode #channel -v [user]

L/Q COMMANDS

```
/MSG L CHANLEV #channel authname +aomnv  
/MSG L ADDUSER #channel nickname  
/MSG L REMOVEUSER #channel nickname  
/MSG L CLEARCHAN #channel  
/MSG L SETINVITE #channel  
/MSG L INVITE #channel  
/MSG L CLEARINVITE #channel  
/MSG L OP #channel  
/MSG L DEOPALL #channel  
/MSG L RECOVER #channel  
/MSG Q CHANFLAGS #channel +bcfklptw  
/MSG Q KEY #channel key  
/MSG Q BAN #channel nickname  
/MSG Q BANLIST #channel  
/MSG Q BANDEL #channel nickname  
/MSG Q BANCLEAR #channel
```

USER MODES

Set User Mode with /umode
(+/-) [mode]

d	deaf
i	invisible
R	restrictive messaging
w	walluser
x	hidden host

REGISTER A NICK

- Say hello to Q:**
/MSG Q HELLO Mail Mail
- Auth yourself**
/MSG Q AUTH Nick Password
- Change password**
/MSG Q NEWPASS oldpass
newpass newpass

BOT REQUEST COMMANDS

```
Request S  
/msg R REQUESTSPAMSCAN  
#channel  
Request L/Q  
/msg R REQUESTBOT #channel
```

CHANNEL MODES

Set Channel Mode with /mode
(+/-) [mode] (default: +tCNn)

b	channel ban
c	no control codes
C	no channel CTCPs
d	hidden users present
D	delayed join mode
i	invite only
k	key protected channel
l	limited
m	moderated
M	moderated for non-auth
n	no external messages
N	no channel notice
o	auto-operator
p	private
r	authed user only
s	secret
t	topic lock
T	deny multichan message
u	no part/quit reasons
v	auto-voice

COPYRIGHT

irc@project89.com

HOSTMASKS

A hostmask, mostly used to specify a banned user or usergroup, comprises as followed:
Nick!Ident@host.domain. A ban can have up to ranges.
Mostly used are the second, third and fourth format.

format

```
*!user@host.domain  
*!*user@host.domain  
*!*@host.domain  
*!*user@*.domain  
*!*@*.domain  
nick!user@host.domain  
nick!*user@host.domain  
nick!*@host.domain  
nick!*user@*.domain  
nick!*@*.domain
```

Affect

```
A specified userident  
A specified userident (also +R)  
A specified host  
A userident with any host  
A domain  
A specified nick  
A specified nick (also +R)  
A specified nick with any ident  
A specified nick with any host  
A nick with any host/ident
```